

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

undertaking	Identification of the substance/mixture and of the company/
· 1.1 Product iden	tifier
· Trade name: <u>H32</u>	2 WASH PRIMER HARDENER
use as industrial p • Sector of Use SU3 Industrial Us SU22 Professi craftsmen) • Product category PC9a Coatings a PC9b Fillers, put	ntified uses of the substance or mixture and uses advised against paint res: Uses of substances such as or in preparations at industrial sites ional uses: Public domain (administration, education, entertainment, services,
• Manufacturer/Su P.O. Box 7623 Beirut LEBANON info@hymax.biz	ture, 70 Rue Cortambert 75116 Paris, France
	t ion obtainable from: Product Safety Department elephone number: +33 (0)6 07 87 13 41
· 1.4 Emergency te	
1.4 Emergency to SECTION 2: H 2.1 Classification Classification ac	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture cording to Regulation (EC) No 1272/2008
• 1.4 Emergency to SECTION 2: H • 2.1 Classification	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture cording to Regulation (EC) No 1272/2008
1.4 Emergency to SECTION 2: H 2.1 Classification Classification ac GHS02	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture cording to Regulation (EC) No 1272/2008
1.4 Emergency to SECTION 2: H 2.1 Classification Classification ac GHS02	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture cording to Regulation (EC) No 1272/2008 flame
 1.4 Emergency to SECTION 2: H 2.1 Classification Classification ac GHS02 Flam. Liq. 2 H223 GHS07 Eye Irrit. 2 H315 	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture cording to Regulation (EC) No 1272/2008 flame 5 Highly flammable liquid and vapour. 9 Causes serious eye irritation.
 1.4 Emergency to SECTION 2: H 2.1 Classification Classification ac GHS02 Flam. Liq. 2 H223 GHS07 Eye Irrit. 2 H315 	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture cording to Regulation (EC) No 1272/2008 flame 5 Highly flammable liquid and vapour.
 1.4 Emergency to SECTION 2: H 2.1 Classification ac Classification ac GHS02 Flam. Liq. 2 H223 Flam. Liq. 2 H223 GHS07 Eye Irrit. 2 H318 STOT SE 3 H336 2.2 Label element Labelling accord 	elephone number: +33 (0)6 07 87 13 41 lazards identification n of the substance or mixture coording to Regulation (EC) No 1272/2008 flame 5 Highly flammable liquid and vapour. 9 Causes serious eye irritation. 6 May cause drowsiness or dizziness.



Page 2/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

Trade name: H32 WASH PRIMER HARDENER

(Contd. of page 1) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labelling: acetone propan-2-ol · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof electrical/ventilating/lighting equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures Description: Mixture of substances listed below with nonhazardous additions. Dangerous components:

	 Dangerous components: 		
	CAS: 67-64-1	acetone	>25- <i>≤</i> 50%
	EINECS: 200-662-2	🚸 Flam. Liq. 2, H225; 🕦 Eye Irrit. 2, H319; STOT SE 3,	
	Reg.nr.: 01-2119471330-49		
1		(Cc	ontd. on page 3)

n page 5

GB -



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

Trade name: H32 WASH PRIMER HARDENER

	(C	Contd. of page 2)
CAS: 67-63-0	propan-2-ol	>25- <i>≤</i> 50%
EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	� Flam. Liq. 2, H225; ∲ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 79-20-9	methyl acetate	>10- <i>≤</i> 25%
EINECS: 201-185-2	� Flam. Liq. 2, H225; � Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 7664-38-2	phosphoric acid	<i>≤</i> 2.5%
EINECS: 231-633-2	🚸 Flam. Liq. 3, H226; 🤣 Skin Corr. 1B, H314	
• Additional information: Fo	r the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • **After swallowing:** If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5 2 Advice for firefighters
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Dilute with plenty of water.

(Contd. on page 4)

⁻ GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

(Contd. of page 3)

Page 4/10

Trade name: H32 WASH PRIMER HARDENER

Do not allow to enter sewers/ surface or ground water.

- **6.3** Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 C	· 8.1 Control parameters		
 Ingredients with limit values that require monitoring at the workplace: 			
67-64-1 acetone			
WEL	Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm		
67-63	3-0 propan-2-ol		
WEL	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm		
	(Contd. on page 5)		

GB



Page 5/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

(Contd. of page 4)

Trade name: H32 WASH PRIMER HARDENER

79-20-9 methyl acetate

WEL Short-term value: 770 mg/m³, 250 ppm Long-term value: 616 mg/m³, 200 ppm

7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

Trade name: H32 WASH PRIMER HARDENER

· Eye protection:

Tightly sealed goggles

SECTION 9: Physical and chemical properties

General Information	-
Appearance:	
Form:	Liquid
Colour:	Grey
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-89.5 °C
Initial boiling point and boiling r	ange: 55 °C
Flash point:	13 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	13 Vol %
Vapour pressure at 20 °C:	233 hPa
Density at 20 °C:	0.812 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

(Contd. of page 5)

Page 6/10

GB



Page 7/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

Trade name: H32 WASH PRIMER HARDENER

	(Contd. of page
 Solubility in / Miscibility with water at 20 °C: 	1 g/l
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	95.6 %
Water:	2.4 %
VOC (EC)	791.4 g/l
Solids content:	0.1 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.

(Contd. on page 8)

GB



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

Trade name: H32 WASH PRIMER HARDENER

(Contd. of page 7)

STOT-repeated exposure Based on available data, the classification criteria are not met.
 Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	tion	
· 14.1 UN-Number		
· ADR, IMDG, IATA	UN1263	
· 14.2 UN proper shipping name		
ADR	1263 PAINT	
· IMDG, IATA	PAINT	
		(Contd. on page

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.09.2019

HYMA

Revision: 19.09.2019

Page 9/10

Trade name: H32 WASH PRIMER HARDENER

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	F-E, <u>S-E</u>
Stowage Category	B
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	·····
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 500 n 2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 n
UN "Model Regulation":	UN 1263 PAINT, 3, II
	011 1200 1 /1111, 0, 11

(Contd. on page 10)



Page 10/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.09.2019

Revision: 19.09.2019

Trade name: H32 WASH PRIMER HARDENER

(Contd. of page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 GB