Page 1/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2020

Revision: 22.04.2020

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: P97 WASH PRIMER

- · Article number: P97
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

use as industrial paint
• Sector of Use

SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category
 PC9a Coatings and paints, thinners, paint removers

PC9b Fillers, putties, plasters, modelling clay

· Application of the substance / the mixture refer to the relevant Technical Data Sheet


- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: P.O. Box 7623 Beirut LEBANON info@hymax.biz Générale de Peinture, 70 Rue Cortambert 75116 Paris, France Tel:+33(0)175293559

· Further information obtainable from: Product Safety Department

· 1.4 Emergency telephone number: Phone : +33 (0)1 60 86 77 65

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Printing date 22.04.2020

HYMA)

Revision: 22.04.2020

## Trade name: P97 WASH PRIMER

	(Contd. of page 1
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
2.2 Label elem	ents
	rding to Regulation (EC) No 1272/2008
	classified and labelled according to the CLP regulation.
Hazard pictogr	rams
$\wedge$	
<u> </u>	
$\checkmark$	
GHS02 GHS0	07 GHS09
011002 01100	
Signal word Da	anger
Hazard-determ	ining components of labelling:
methyl isobutyl	
Epichlorhydrin :	epoxy resin
xylene	
phenol	
Hazard statem	
•••	mmable liquid and vapour.
H332 Harmful if	
H315 Causes si	
	erious eye irritation.
	e an allergic skin reaction.
	e respiratory irritation.
	quatic life with long lasting effects.
Precautionary P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
. 210	No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
	big of the second
	with water [or shower].
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac
-	lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national
	international regulations.
2.3 Other haza	
	and vPvB assessment
PBT: Not applic	
	(Contd. on page 3

Printing date 22.04.2020

HYMA

#### Revision: 22.04.2020

(Contd. of page 2)

Page 3/12

#### Trade name: P97 WASH PRIMER

#### · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2	Chemical	characterisation:	Mixtures
-------	----------	-------------------	----------

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 108-10-1 EINECS: 203-550-1	methyl isobutyl ketone Flam. Liq. 2, H225;  Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335	>10- <i>≤</i> 25%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119486136-34 05-2116602925-45 01-2119488216-32		>10- <i>≤</i> 25%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol � Flam. Liq. 2, H225; � Eye Irrit. 2, H319; STOT SE 3, H336	>10- <i>≤</i> 25%
CAS: 68648-78-2	Polivinyl butyral  Over the second state of	>10- <i>≤</i> 25%
CAS: 7779-90-0 EINECS: 231-944-3	trizinc bis(orthophosphate) � Aquatic Acute 1, H400; Aquatic Chronic 1, H410	>2.5- <i>≤</i> 10%
CAS: 25068-38-6 NLP: 500-033-5	Epichlorhydrin : epoxy resin Aquatic Chronic 2, H411; 🐠 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<i>≤</i> 2.5%
CAS: 108-95-2 EINECS: 203-632-7	phenol Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; 🔗 Skin Corr. 1B, H314	<i>≤</i> 2.5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

## · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)

# Page 4/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2020

Revision: 22.04.2020

(Contd. of page 3)

#### Trade name: P97 WASH PRIMER

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
   6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 5)

# Page 5/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2020

Revision: 22.04.2020

(Contd. of page 4)

#### Trade name: P97 WASH PRIMER

· Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. • Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

ingre	edients with limit values that require monitoring at the workplace:	
108-1	10-1 methyl isobutyl ketone	
WEL	. Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm Sk, BMGV	
1330	-20-7 xylene	
WEL	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV	
67-63	3-0 propan-2-ol	
WEL	. Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
108-9	95-2 phenol	
WEL	Short-term value: 16 mg/m³, 4 ppm Long-term value: 7.8 mg/m³, 2 ppm Sk	
Ingre	edients with biological limit values:	
108-1	10-1 methyl isobutyl ketone	
BMG	GV 20 μmol/L Medium: urine Sampling time: post shift Parameter: 4-methylpentan-2-one	



Printing date 22.04.2020

Revision: 22.04.2020

(Contd. of page 5)

#### Trade name: P97 WASH PRIMER

## 1330-20-7 xylene

BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid

· Additional information: The lists valid during the making were used as basis.

## · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

(Contd. on page 7)

GB

Printing date 22.04.2020

Revision: 22.04.2020

Trade name: P97 WASH PRIMER

(Contd. of page 6)

Page 7/12

9.1 Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	Dark grey
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: 82 °C
Flash point:	13 ℃
Flammability (solid, gas):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosiv air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	12 Vol %
Vapour pressure at 20 °C:	43 hPa
Density at 20 °C:	1.105 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	54.6 %
Water:	1.8 %
VOC (EC)	615.3 g/l



GB -

Printing date 22.04.2020

Revision: 22.04.2020

(Contd. of page 7)

#### Trade name: P97 WASH PRIMER

Solids content: • 9.2 Other information

43.8 % No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

## Harmful if inhaled.

· LD/LC50 values relevant for classification:

#### 108-10-1 methyl isobutyl ketone

	LD50	2,080 mg/kg (rat)
Dermal	LD50	16,000 mg/kg (rab) 8.3-16.6 mg/l (rat)
Inhalative	LC50/4 h	8.3-16.6 mg/l (rat)

1330-20-7 xylene			
Oral	LD50	4,300 mg/kg (rat)	
Dermal	LD50	4,300 mg/kg (rat) 2,000 mg/kg (rabbit)	
7770 00 0	7770 00 0 trizing bis(orthonhosphoto)		

7779-90-0 trizinc bis(orthophosphate)

Oral LD50 >5,000 mg/kg (rat)

- · Primary irritant effect:
- **Skin corrosion/irritation** Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)

Page 8/12



## GB

Printing date 22.04.2020

Revision: 22.04.2020

(Contd. of page 8)

Page 9/12

#### Trade name: P97 WASH PRIMER

- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN1263

(Contd. on page 10)

Page 10/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2020

Revision: 22.04.2020

Trade name: P97 WASH PRIMER

	(Contd. of page
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG</li> </ul>	1263 PAINT, ENVIRONMENTALLY HAZARDOUS PAINT (trizinc bis(orthophosphate), Epichlorhydrir epoxy resin ), MARINE POLLUTANT
	PAINT
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, IMDG	
· Class · Label	3 Flammable liquids. 3
	•
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group	•
· ADR, IMDG, IATA	11
14.5 Environmental hazards:	Product contains environmentally hazardou
	substances: trizinc bis(orthophosphate)
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids. 33 F-E, <u>S-E</u> B
<ul> <li>14.7 Transport in bulk according to Annex II o Marpol and the IBC Code</li> </ul>	f Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ)	5L
	(Contd. on page 2

Page 11/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2020

Revision: 22.04.2020

Trade name: P97 WASH PRIMER

(Contd. of page 10)
Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2
2 D/F
5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN 1263 PAINT, 3, II, ENVIRONMENTALLY HAZARDOUS

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

(Contd. on page 12)

GB

Printing date 22.04.2020

Revision: 22.04.2020

(Contd. of page 11)

GB

#### Trade name: P97 WASH PRIMER

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: Product safety department · Contact: N/A Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Lig. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity - oral – Category 3 Acute Tox. 4: Acute toxicity - inhalation – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2