

Page 1/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2019

Revision: 06.05.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier BASECOAT B-SERIES
· Trade name: B780 PEARL BLUE
<ul> <li>Article number: B780</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against use as automotive refinish paint</li> <li>Sector of Use SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)</li> <li>Product category PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay</li> <li>Application of the substance / the mixture refer to the relevant Technical Data Sheet refer to the relevant Technical Data Sheet</li> </ul>
<ul> <li>• 1.3 Details of the supplier of the safety data sheet General Paint Co. S.A.L</li> <li>-Safety Department-</li> </ul>
For further information, please consult our Internet site www.hymax.biz • <i>Manufacturer/Supplier:</i> P.O. Box 7623 Beirut LEBANON info@hymax.biz Générale de Peinture, 70 Rue Cortambert 75116 Paris, France Tel:+33(0)175293559
<ul> <li>Further information obtainable from: Product Safety Department</li> <li>1.4 Emergency telephone number: +33 (0)6 07 87 13 41</li> <li>During normal opening times:(961) 9 925990 /1/2</li> </ul>
SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

(Contd. on page 2)



Page 2/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2019

Revision: 06.05.2019

#### Trade name: B780 PEARL BLUE

<b>A</b>	(Contd. of page
	H315 Causes skin irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.
2.2 Label el	
	ccording to Regulation (EC) No 1272/2008
	is classified and labelled according to the CLP regulation.
Hazard pict	ograms
	$\wedge$
<u>&lt;%&gt;&lt;</u>	
$\checkmark$	
GHS02 GI	HS07
Signal word	l Warning
Hazard-dete	ermining components of labelling:
n-butyl aceta	
Hazard stat	
H226 Flamn	nable liquid and vapour.
	nable liquid and vapour. Is skin irritation.
H315 Cause H336 May ca	es skin irritation. ause drowsiness or dizziness.
H315 Cause H336 May ca <b>Precautiona</b>	s skin irritation. ause drowsiness or dizziness. <b>ary statements</b>
H315 Cause H336 May ca <b>Precautiona</b> P101	ns skin İrritation. Ause drowsiness or dizziness. A <b>ry statements</b> If medical advice is needed, have product container or label at hand.
H315 Cause H336 May ca <b>Precautiona</b> P101 P102	es skin İrritation. ause drowsiness or dizziness. a <b>ry statements</b> If medical advice is needed, have product container or label at hand. Keep out of reach of children.
H315 Cause H336 May ca <b>Precautiona</b> P101 P102 P103	es skin İrritation. ause drowsiness or dizziness. a <b>ry statements</b> If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
H315 Cause H336 May ca <b>Precautiona</b> P101 P102	es skin İrritation. ause drowsiness or dizziness. a <b>ry statements</b> If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition source
H315 Cause H336 May ca <b>Precautiona</b> P101 P102 P103 P210	es skin İrritation. ause drowsiness or dizziness. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.
H315 Cause H336 May ca <b>Precautiona</b> P101 P102 P103 P210 P241	es skin irritation. ause drowsiness or dizziness. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof electrical/ventilating/lighting equipment.
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261	es skin irritation. ause drowsiness or dizziness. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof electrical/ventilating/lighting equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261	es skin irritation. ause drowsiness or dizziness. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof electrical/ventilating/lighting equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. +P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sl
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261	<ul> <li>skin irritation.</li> <li>ause drowsiness or dizziness.</li> <li>ary statements         <ul> <li>If medical advice is needed, have product container or label at hand.</li> <li>Keep out of reach of children.</li> <li>Read label before use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul> <li>+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sl with water/shower.</li> </li></ul>
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261 P303+P361-	es skin irritation. ause drowsiness or dizziness. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof electrical/ventilating/lighting equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. +P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sl
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261 P303+P361- P405 P501	<ul> <li>skin irritation.</li> <li>ause drowsiness or dizziness.</li> <li>ary statements <ul> <li>If medical advice is needed, have product container or label at hand.</li> <li>Keep out of reach of children.</li> <li>Read label before use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source.</li> <li>No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul> </li> <li>+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sl with water/shower.</li> <li>Store locked up.</li> <li>Dispose of contents/container in accordance with local/regional/nations international regulations.</li> </ul>
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261 P303+P361- P405 P501 <b>2.3 Other ha</b>	<ul> <li>skin irritation.</li> <li>ause drowsiness or dizziness.</li> <li>ary statements <ul> <li>If medical advice is needed, have product container or label at hand.</li> <li>Keep out of reach of children.</li> <li>Read label before use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source.</li> <li>No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul> </li> <li>+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sl with water/shower.</li> <li>Store locked up.</li> <li>Dispose of contents/container in accordance with local/regional/nation.</li> </ul>
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261 P303+P361- P405 P501 <b>2.3 Other ha Results of F</b>	<ul> <li>skin irritation.</li> <li>ause drowsiness or dizziness.</li> <li>ary statements         <ul> <li>If medical advice is needed, have product container or label at hand.</li> <li>Keep out of reach of children.</li> <li>Read label before use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source.</li> <li>No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul> </li> <li>+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sh with water/shower.</li> <li>Store locked up.</li> <li>Dispose of contents/container in accordance with local/regional/national international regulations.</li> </ul> <li>azards</li> <li>PBT and vPvB assessment</li>
H315 Cause H336 May ca Precautiona P101 P102 P103 P210 P241 P261 P303+P361- P405 P501 <b>2.3 Other ha</b>	<ul> <li>s skin irritation.</li> <li>ause drowsiness or dizziness.</li> <li>ary statements <ul> <li>If medical advice is needed, have product container or label at hand.</li> <li>Keep out of reach of children.</li> <li>Read label before use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition source.</li> <li>No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul> </li> <li>+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skith water/shower.</li> <li>Store locked up.</li> <li>Dispose of contents/container in accordance with local/regional/national international regulations.</li> </ul>

(Contd. on page 3)

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2019

Revision: 06.05.2019

Trade name: B780 PEARL BLUE

(Contd. of page 2)

Page 3/11

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
123-86-4	n-butyl acetate	>50- <i>≤</i> 100%
	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	
1330-20-7		>10- <i>≤</i> 25%
	🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
64742-95-6	Solvent naphtha (petroleum), light arom.	>2.5- <i>≤</i> 10%
	🚸 Acute Tox. 4, H332; STOT SE 3, H335	
100-41-4	ethylbenzene	<i>≤</i> 2.5%
	🚸 Flam. Liq. 2, H225; 🚸 STOT RE 2, H373; Asp. Tox. 1, H304; 🚸 Acute Tox. 4, H332	
· Additional i	information: For the wording of the listed hazard phrases refer to section 16.	

#### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

(Contd. on page 4)



LB/AR

Printing date 23.09.2019

Revision: 06.05.2019

Trade name: B780 PEARL BLUE

#### 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

#### ECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5) LB/AR



Page 4/11

(Contd. of page 3)

Printing date 23.09.2019

Revision: 06.05.2019

(Contd. of page 4)

Page 5/11

#### Trade name: B780 PEARL BLUE

· 8.1 Control	parameters
<ul> <li>Ingredients</li> </ul>	with limit values that require monitoring at the workplace:
1330-20-7 xy	ylene
IOELV (EU)	Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin
100-41-4 eth	iylbenzene
	Short-term value: 884 mg/m³, 200 ppm Long-term value: 442 mg/m³, 100 ppm Skin
· Additional i	nformation: The lists valid during the making were used as basis.
General pro Keep away fi Immediately Wash hands Avoid contac Avoid contac Respiratory In case of bi	otective equipment: tective and hygienic measures: rom foodstuffs, beverages and feed. remove all soiled and contaminated clothing before breaks and at the end of work. et with the skin. et with the eyes and skin. <b>protection:</b> rief exposure or low pollution use respiratory filter device. In case of intensive or longer e self-contained respiratory protective device.
Pro Pro	otective gloves
Due to miss preparation/ Selection of degradation • <b>Material of g</b> The selection quality and substances, be checked p • <b>Penetration</b>	aterial has to be impermeable and resistant to the product/ the substance/ the preparation. sing tests no recommendation to the glove material can be given for the product/ the the chemical mixture. The glove material on consideration of the penetration times, rates of diffusion and the gloves n of the suitable gloves does not only depend on the material, but also on further marks of varies from manufacturer to manufacturer. As the product is a preparation of several the resistance of the glove material can not be calculated in advance and has therefore to prior to the application. <b>time of glove material</b>

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 23.09.2019

Revision: 06.05.2019

(Contd. of page 5)

Page 6/11

Trade name: B780 PEARL BLUE

· Eye protection:

Tightly sealed goggles

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and General Information	d chemical properties
Appearance:	
Form:	Liquid
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling rang	<b>ge:</b> 124 ℃
Flash point:	25 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	370 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosiv air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	7.5 Vol %
Vapour pressure at 20 °C:	10.7 hPa
Density at 20 °C:	0.965 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.



Printing date 23.09.2019

Revision: 06.05.2019

Page 7/11

Trade name: B780 PEARL BLUE

	(Contd. of pag
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: VOC (EC)</li> </ul>	71.9 % 694.1 g/l
Solids content: · 9.2 Other information	28.1 % No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	evant for classification:	
1330-20-7	' xylene		
Oral	LD50	4,300 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
64742-95	-6 Solvent	naphtha (petroleum), light arom.	
Oral	LD50	>6,800 mg/kg (rat)	
Dermal	LD50	>3,400 mg/kg (rab)	
Inhalative	LC50/4 h	>10.2 mg/l (rat)	
			(Contd. on page 8)
			LB/A





Printing date 23.09.2019

Revision: 06.05.2019

Page 8/11

#### Trade name: B780 PEARL BLUE

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)

LB/AR



#### (Contd. of page 7)

Printing date 23.09.2019

Revision: 06.05.2019

Trade name: B780 PEARL BLUE

(Contd. of page 8)

Page 9/11

SECTION 14: Transport information	on
· 14.1 UN-Number · ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1263 PAINT PAINT
· 14.3 Transport hazard class(es)	
ADR, IMDG	
Class	3 Flammable liquids.
· Label	3
Class	
· Class · Label	8 Corrosive substances. 3
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
14.6 Special precautions for user	Warning: Flammable liquids.
· EMS Number: · Stowage Category	F-E,S-E A
• 14.7 Transport in bulk according to Anne Marpol and the IBC Code	
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 i
· Transport category	2
	(Contd. on page



LB/AR



Page 10/11

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2019

Revision: 06.05.2019

#### Trade name: B780 PEARL BLUE

	(Contd. of page 9)
· Tunnel restriction code	E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

- H315 Causes skin irritation.
- H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to the hearing organs through prolonged or repeated exposure.

- · Department issuing SDS: Product safety department
- · Contact: N/A

#### Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 11)

LB/AR

Printing date 23.09.2019

Revision: 06.05.2019

Page 11/11

### Trade name: B780 PEARL BLUE

(Contd. of page 10) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 LEVA
--

