



Printing date 05/06/2019 Reviewed on 05/06/2019

1 Identification

· Product identifier

· Trade name: W501 CARMINE RED

· Article number: W501

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: General Paint Co. SAL

P.O. Box 7623

Beirut **LEBANON** info@hymax.biz

- · Information department: Product Safety Department
- Emergency telephone number: During normal opening times:1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

H360 May damage fertility or the unborn child. Repr. 1B

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

N-methyl-2-pyrrolidone

· Hazard statements

Combustible liquid.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 1)

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 2 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *0
 Fire = 2
 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
111-76-2	2-butoxyethanol	>2.5-≤10%
67-63-0	propan-2-ol	≤2.5%
872-50-4	N-methyl-2-pyrrolidone	<i>≤</i> 2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
111-76-2	2-butoxyethanol	60 ppm
67-63-0	propan-2-ol	400 ppm
872-50-4	N-methyl-2-pyrrolidone	30 ppm
108-01-0	2-dimethylaminoethanol	3.7 ppm
140-88-5	ethyl acrylate	8.3 ppm
· PAC-2:		
111-76-2	2-butoxyethanol	120 ppm
67-63-0	propan-2-ol	2000* ppm
	N-methyl-2-pyrrolidone	32 ppm
108-01-0	2-dimethylaminoethanol	40 ppm
140-88-5	ethyl acrylate	36 ppm
		(Contd. on page

US



Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

		(Contd. of page 3
· PAC-3:		
111-76-2	2-butoxyethanol	700 ppm
67-63-0	propan-2-ol	12000** ppm
872-50-4	N-methyl-2-pyrrolidone	190 ppm
108-01-0	2-dimethylaminoethanol	72 ppm
140-88-5	ethyl acrylate	240 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- Keep respiratory protective device available.
- $\cdot \ \textbf{Conditions for safe storage, including any incompatibilities}$
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 6.1 C
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

	00110	or parameters	
	· Components with limit values that require monitoring at the workplace: 111-76-2 2-butoxyethanol		
	PEL	Long-term value: 240 mg/m³, 50 ppm Skin	
	REL	Long-term value: 24 mg/m³, 5 ppm Skin	
	TLV	Long-term value: 97 mg/m³, 20 ppm BEI	
	67-63-0 propan-2-ol		
	PEL	Long-term value: 980 mg/m³, 400 ppm	

(Contd. on page 5)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 4)

REL	Short-term value: 1225 mg/m³, 500 ppm
	Short-term value: 1225 mg/m³, 500 ppn Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm

872-50-4 N-methyl-2-pyrrolidone

WEEL Long-term value: 10 ppm Skin

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

872-50-4 N-methyl-2-pyrrolidone

BEI 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Store protective clothing separately.

• Breathing equipment: Not required.

- Dreating equipment. Not h
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

· Material of gloves

(Contd. of page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

0 DI '			
9 Physical	and cha	mical hri	nnartiae
g i iiyəldai	aila Gilei	militai pr	JPGI UGS

<u> </u>	
· Information on basic physical and o · General Information	chemical properties
· Appearance:	
Form:	Fluid
Color:	According to product description
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	68 °C (154.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	240 °C (464 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.046 g/cm³ (8.72887 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
-	(Ocatal company 7)

(Contd. on page 7)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 6)

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 7.6 % Water: 61.7 % Coating VOC content: 7.57 %

223.3 g/l / 1.86 lb/gal 79.1 g/l / 0.66 lb/gal

Solids content: 28.2 %

• Other information No further relevant information available.

10 Stability and reactivity

Material VOC content:

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 7)

· Carcinogenic categories		
· IARC (International Agency for Research on Cancer)		
111-76-2	2-butoxyethanol	3
	propan-2-ol	3
140-88-5	ethyl acrylate	2B
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 8)

UN-Number	NOT APPLICABLE
UN proper shipping name	NOT APPLICABLE
Transport hazard class(es)	NOT APPLICABLE
Packing group	NOT APPLICABLE
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

 Section 355 (extreme 	ly hazardous	s substances):
------------------------------------------	--------------	----------------

None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings))	:
--------------------------------------------------------------------	---	---

111-76-2	2-butoxyethanol
67-63-0	propan-2-ol

872-50-4 N-methyl-2-pyrrolidone

140-88-5 ethyl acrylate

TSCA (Toxic Substances Control Act):

· ISCA (Toxic Substances Control Act):		
111-76-2	2-butoxyethanol	ACTIVE
67-63-0	propan-2-ol	ACTIVE
	, , ,	ACTIVE
108-01-0	2-dimethylaminoethanol	ACTIVE
25265-71-8	Dipropylene glycol (isomer unspecified)	ACTIVE
140-88-5	ethyl acrylate	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· Hazardous Air Pollutants

140-88-5 ethyl acrylate

Proposition 65

· Chemicals known to cause cancer:

140-88-5 ethyl acrylate

(Contd. on page 10)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 9) · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: 872-50-4 N-methyl-2-pyrrolidone · Carcinogenic categories · EPA (Environmental Protection Agency) 111-76-2 2-butoxyethanol NL TLV (Threshold Limit Value established by ACGIH) 111-76-2 2-butoxyethanol *A*3 67-63-0 propan-2-ol Α4 140-88-5 ethyl acrylate A4

· GHS label elements

140-88-5 ethyl acrylate

The product is classified and labeled according to the Globally Harmonized System (GHS).

· NIOSH-Ca (National Institute for Occupational Safety and Health)

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

N-methyl-2-pyrrolidone

· Hazard statements

Combustible liquid.

May damage fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 11)





Printing date 05/06/2019 Reviewed on 05/06/2019

Trade name: W501 CARMINE RED

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of preparation / last revision 05/06/2019 / -
- · Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4 Repr. 1B: Reproductive toxicity – Category 1B